

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
1.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0100	N/A – new item	GG0100. Prior Functioning: Everyday Activities. Indicate the resident’s usual ability with everyday activities prior to the current illness, exacerbation, or injury.	Risk adjustor for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.
2.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0100A	N/A – new item	A. Self-Care: Code the resident's need for assistance with bathing, dressing, using the toilet, or eating prior to the current illness, exacerbation, or injury.	Risk adjustor for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
3.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0100B	N/A – new item	B. Indoor Mobility (Ambulation): Code the resident's need for assistance with walking from room to room (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.	Risk adjustor for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.
4.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0100C	N/A – new item	C. Stairs: Code the resident's need for assistance with internal or external stairs (with or without a device such as cane, crutch, or walker) prior to the current illness, exacerbation, or injury.	Risk adjustor for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
5.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0100D	N/A – new item	D. Functional Cognition: Code the resident's need for assistance with planning regular tasks, such as shopping or remembering to take medication prior to the current illness, exacerbation, or injury.	Risk adjustor for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.
6.	5- Day PPS (and any item set it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	Prior Device Use GG0110A GG0110B GG0110C GG0110D GG0110E GG0110Z	N/A – new item	GG0110. Prior Device Use. Indicate devices and aids used by the resident prior to the current illness, exacerbation, or injury Check all that apply A. Manual wheelchair B. Motorized wheelchair and/or scooter C. Mechanical lift D. Walker E. Orthotics/Prosthetics Z. None of the above	Risk adjustors for the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
7.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130 Discharge goal coding	Code the resident’s usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of SNF PPS stay (admission), code the reason. Code the resident’s end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code (discharge) goals.	Code the resident’s usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident’s end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code end of SNF PPS stay (discharge) goal(s).	Activity not attempted codes will be allowed for goals. Added additional instructions for clarification.
8.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130 Coding options	From 6-point scale 05. Setup or clean-up assistance – Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior or following the activity.	From 6-point scale 05. Setup or clean-up assistance – Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.	Removed capitalization.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
9.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130 Coding options	From 6-point scale 04. Supervision or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.	From 6-point scale 04. Supervision or touching assistance - Helper provides verbal cues and/or touching/steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.	Added “contact guard” and changed “or” to “and/or” for clarification. Removed capitalization.
10.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130	If activity was not attempted, code the reason: 07. Resident refused 09. Not applicable 88. Not attempted due to medical condition or safety concerns	If activity was not attempted, code the reason: 07. Resident refused 09. Not applicable – Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury. 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints) 88. Not attempted due to medical condition or safety concerns	Added definition of 09 for clarification. Added new code to allow reporting of environmental limitations.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
11.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130A	A. Eating: The ability to use suitable utensils to bring food to the mouth and swallow food once the meal is presented on a table/tray. Includes modified food consistency.	A. Eating: The ability to use suitable utensils to bring food and/or liquid to the mouth and swallow food and/or liquid once the meal is placed before the resident.	Revised wording of the item for clarification and based on help desk questions to IRF, LTCH and SNF help desks.
12.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130B	B. Oral hygiene: The ability to use suitable items to clean teeth. [Dentures (if applicable): The ability to remove and replace dentures from and to the mouth, and manage equipment for soaking and rinsing them.]	B. Oral hygiene: The ability to use suitable items to clean teeth. Dentures (if applicable): The ability to insert and remove dentures into and from the mouth, and manage denture soaking and rinsing with use of equipment.	Revised wording of the item definition for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
13.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130C	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after using the toilet, commode, bedpan or urinal. If managing an ostomy, include wiping the opening but not managing equipment.	C. Toileting hygiene: The ability to maintain perineal hygiene, adjust clothes before and after voiding or having a bowel movement. If managing an ostomy, include wiping the opening but not managing equipment.	Revised wording of the item definition for clarification.
14.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130E	N/A – new item	E. Shower/bathe self: The ability to bathe self, including washing, rinsing, and drying self (excludes washing of back and hair). Does not include transferring in/out of tub/shower.	Item needed to calculate the self-care change quality measure and discharge self-care quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
15.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130F	N/A – new item	F. Upper body dressing: The ability to dress and undress above the waist; including fasteners, if applicable.	Item needed to calculate the self-care change quality measure, and discharge self-care quality measure.
16.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130G	N/A – new item	G. Lower body dressing: The ability to dress and undress below the waist, including fasteners; does not include footwear.	Item needed to calculate the self-care change quality measure, and discharge self-care quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
17.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0130H	N/A – new item	H. Putting on/taking off footwear: The ability to put on and take off socks and shoes or other footwear that is appropriate for safe mobility; including fasteners, if applicable.	Item needed to calculate the self-care change quality measure and discharge self-care quality measure.
18.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170 Discharge goal coding	Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Do not use codes 07, 09, or 88 to code (discharge) goals.	Code the resident's usual performance at the start of the SNF PPS stay (admission) for each activity using the 6-point scale. If activity was not attempted at the start of the SNF PPS stay (admission), code the reason. Code the resident's end of SNF PPS stay (discharge) goal(s) using the 6-point scale. Use of codes 07, 09, 10, or 88 is permissible to code end of SNF PPS stay (discharge) goal(s).	Added instructions indicating that the activity not attempted codes may be used to code goal items.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
19.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170 Coding option	From 6-point scale 05. Setup or clean-up assistance – Helper SETS UP or CLEANS UP; resident completes activity. Helper assists only prior or following the activity.	From 6-point scale 05. Setup or clean-up assistance – Helper sets up or cleans up; resident completes activity. Helper assists only prior to or following the activity.	Removed capitalization.
20.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170 Coding option	From 6-point scale 04. Supervision or touching assistance - Helper provides VERBAL CUES or TOUCHING/STEADYING assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.	From 6-point scale 04. Supervision or touching assistance - Helper provides verbal cues and/or touching /steadying and/or contact guard assistance as resident completes activity. Assistance may be provided throughout the activity or intermittently.	Added “contact guard” and changed “or” to “and/or” for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
21.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170 Coding option	If activity was not attempted, code the reason: 07. Resident refused 09. Not applicable 88. Not attempted due to medical condition or safety concerns	If activity was not attempted, code the reason: 07. Resident refused 09. Not applicable – Not attempted and the resident did not perform this activity prior to the current illness, exacerbation, or injury. 10. Not attempted due to environmental limitations (e.g., lack of equipment, weather constraints) 88. Not attempted due to medical condition or safety concerns	Added definition of 09 for clarification. Added new code to allow reporting of environmental limitations.
22.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170A	N/A – new item	A. Roll left and right: The ability to roll from lying on back to left and right side, and return to lying on back on the bed.	Items needed to calculate the mobility change quality measure, and discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
23.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170C	C. Lying to sitting on side of bed: The ability to safely move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.	C. Lying to sitting on side of bed: The ability to move from lying on the back to sitting on the side of the bed with feet flat on the floor, and with no back support.	Removed “safely” The coding instructions reference safe performance, which applies to all self-care and mobility items.
24.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170D	D. Sit to stand: The ability to safely come to a standing position from sitting in a chair or on the side of the bed	D. Sit to stand: The ability to come to a standing position from sitting in a chair, wheelchair , or on the side of the bed.	Removed “safely”. The coding instructions safe performance, which applies to all self-care and mobility items. Added “wheelchair” for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
25.	5-day PPS and Part A PPS Discharge (and any item set they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170E	E. Chair/bed-to-chair transfer: The ability to safely transfer to and from a bed to a chair (or wheelchair).	E. Chair/bed-to-chair transfer: The ability to transfer to and from a bed to a chair (or wheelchair).	Removed “safely”. The coding instructions reference safe performance, which applies to all self-care and mobility items.
26.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170F	F. Toilet transfer: The ability to safely get on and off a toilet or commode.	F. Toilet transfer: The ability to get on and off a toilet or commode.	Removed “safely”. The coding instructions reference safe performance, which applies to all self-care and mobility items.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
27.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170G	N/A – new item	G. Car transfer: The ability to transfer in and out of a car or van on the passenger side. Does not include the ability to open/close door or fasten seat belt.	Item needed to calculate the self-care change quality measure, and discharge self-care quality measure.
28.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170H1	H1. Does the resident walk? 0. No , and walking goal is not clinically indicated → Skip to GG0170Q1. Does the resident use a wheelchair/scooter? 1. No , and walking goal is clinically indicated → Code the resident's discharge goal(s) for items GG0170I, J, K, L, M, N, O, and P. For admission performance, skip to GG0170Q1. Does the resident use a wheelchair/scooter? 2. Yes Continue to GG0170I. Walk 10 feet	Item deleted	The skip pattern is associated with the Walk 10 feet item.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
29.	Part A PPS Discharge (and any item sets it can be combined with)	GG0170H2	H3. Does the resident walk? 0. No → Skip to GG0170Q3. Does the resident use wheelchair/scooter? 2. Yes → Continue to GG0170I. Walk 10 feet	Item deleted	The skip pattern is associated with the Walk 10 feet item.
30.	5-Day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170I	N/A – new item	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)	Item needed to calculate the mobility change quality measure and discharge mobility quality measure.
31.	Part A PPS Discharge (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170I	N/A – new item	I. Walk 10 feet: Once standing, the ability to walk at least 10 feet in a room, corridor, or similar space. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170M, 1 step (curb)	Item needed to calculate the mobility change quality measure and discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
32.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170L	N/A – new item	L. Walking 10 feet on uneven surfaces: The ability to walk 10 feet on uneven or sloping surfaces (indoor or outdoor), such as turf or gravel.	Item needed to calculate the mobility change quality measure and discharge mobility quality measure.
33.	5-day PPS and Part A PPS (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170M Admission	N/A – new item	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object	Item needed to calculate the mobility change quality measure, and discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
34.	5-day PPS and Part A PPS (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170M Discharge	N/A – new item	M. 1 step (curb): The ability to go up and down a curb and/or up and down one step. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object	Item needed to calculate the mobility change quality measure, and discharge mobility quality measure.
35.	5-day PPS and Part A PPS Admission (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170N Admission	N/A – new item	N. 4 steps: The ability to go up and down four steps with or without a rail. If admission performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object	Items needed to calculate the mobility change quality measure, and discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
36.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170N Discharge	N/A – new item	N. 4 steps: The ability to go up and down four steps with or without a rail. If discharge performance is coded 07, 09, 10, or 88 → Skip to GG0170P, Picking up object	Items needed to calculate the mobility change quality measure, and discharge mobility quality measure.
37.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170O	N/A – new item	O. 12 steps: The ability to go up and down 12 steps with or without a rail.	Item needed to calculate the mobility change quality measure, and discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
38.	5-day PPS and Part A PPS Discharge (and any item sets they can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170P	N/A – new item	P. Picking up object: The ability to bend/stoop from a standing position to pick up a small object, such as a spoon, from the floor.	Items needed to calculate the mobility change quality measure, and discharge mobility quality measure.
39.	5-Day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170Q1	Q1. Does the resident use a wheelchair/scooter? 0. No Skip to H0100. Appliances 1. Yes Continue to GG0170R. Wheel 50 feet with two turns	Q1. Does the resident use a wheelchair and/or scooter? 0. No → Skip to H0100, Appliances 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns	Added for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
40.	Part A PPS Discharge (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170Q3	Q3. Does the resident use a wheelchair/scooter? 0. No → Skip to H0100. Appliances 1. Yes → Continue to GG0170R. Wheel 50 feet with two turns	Q3. Does the resident use a wheelchair and/or scooter? 0. No → Skip to H0100, Appliances 1. Yes → Continue to GG0170R, Wheel 50 feet with two turns	Added for clarification.
41.	5-Day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170R	GG0170R. Wheel 50 feet with two turns: Once seated in wheelchair/scooter, can wheel at least 50 feet and make two turns.	Wheel 50 feet with two turns: Once seated in wheelchair/scooter, the ability to wheel at least 50 feet and make two turns.	Added for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
42.	5-Day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170RR1	RR1. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized	RR1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	Added for clarification.
43.	Part A PPS Discharge (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170RR3	RR3. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized	RR3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	Added for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
44.	Part A PPS Discharge (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170S	Wheel 150 feet: Once seated in wheelchair/scooter, can wheel at least 150 feet in a corridor or similar space.	Wheel 150 feet: Once seated in wheelchair/scooter, the ability to wheel at least 150 feet in a corridor or similar space.	Added for clarification.
45.	5-Day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170SS1	SS1. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized	SS1. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	Added for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
46.	Part A PPS Discharge (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	GG0170SS3	SS3. Indicate the type of wheelchair/scooter used. 1. Manual 2. Motorized	SS3. Indicate the type of wheelchair or scooter used. 1. Manual 2. Motorized	Added for clarification.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change								
47.	5-day PPS (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	I0020 I0020A	N/A – new item	<p>I0020. Indicate the resident’s primary medical condition category.</p> <p>Indicate the resident's primary medical condition category that best describes the primary reason for admission.</p> <p>Complete only if A0310B=01</p> <ol style="list-style-type: none"> 01. Stroke 02. Non-Traumatic Brain Dysfunction 03. Traumatic Brain Dysfunction 04. Non-Traumatic Spinal Cord Dysfunction 05. Traumatic Spinal Cord Dysfunction 06. Progressive Neurological Conditions 07. Other Neurological Conditions 08. Amputation 09. Hip and Knee replacement 10. Fractures and Other Multiple Trauma 11. Other Orthopedic Conditions 12. Debility, Cardiorespiratory Conditions 13. Medically Complex Conditions 14. Other Medical Condition If “other medical condition”, enter the ICD code in the boxes. <p>I0020A.</p> <table border="1" data-bbox="1110 1308 1646 1370"> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>									Risk adjustor to calculate the self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and/or discharge mobility quality measure.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
48.	5-Day (and any item sets it can be combined with) NC-Comp, NQ-Quart, NP-PPS, ND-Disch, SP-PPS, SD-Disch, NPE- PPS Part A Discharge	J2000	NA – new item	J2000. Prior Surgery Did the resident have major surgery during the 100 days prior to admission ? 0. No 1. Yes 8. Unknown	Risk adjustor for self-care change quality measure, mobility change quality measure, discharge self-care quality measure, and discharge mobility quality measure.
49.	All item sets with Section M NC, NQ, NP, NSD, NO, NOD, ND, NPE, SP, SSD, SO, SOD, SD	Section M intro note	Report based on highest stage of existing ulcer(s) at its worst; do not "reverse" stage	Report based on highest stage of existing ulcers/injuries at their worst; do not "reverse" stage	Changed text to more accurately reflect what is occurring in the resident's skin integrity.
50.	All item sets with M0300 NC, NQ, NP, NSD, NO, NOD, ND, NPE, SP, SSD,SO, SOD, SD	M0300	M0300. Current Number of Unhealed Pressure Ulcers at Each Stage	M0300. Current Number of Unhealed Pressure Ulcers/Injuries at Each Stage	Changed text to more accurately reflect what is occurring in the resident's skin integrity.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
51.	All item sets with M0300D1 NC, NQ, NP, NSD, NO, NOD, ND, NPE, SP, SSD, SO, SOD, SD	M0300D1	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable - Non-removable dressing	1. Number of Stage 4 pressure ulcers - If 0 → Skip to M0300E, Unstageable - Non-removable dressing/ device	Changed text to more accurately reflect what is occurring in the resident's skin integrity.
52.	All item sets with M0300E NC, NQ, NP, NSD, NOD, ND, NPE, SP, SSD, SOD, SD	M0300E	E. Unstageable - Non-removable dressing: Known but not stageable due to non-removable dressing/device 1. Number of unstageable pressure ulcers due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable - Slough and/or eschar 2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry	E. Unstageable - Non-removable dressing/device: Known but not stageable due to non-removable dressing/device 1. Number of unstageable pressure ulcers/injuries due to non-removable dressing/device - If 0 → Skip to M0300F, Unstageable - Slough and/or eschar 2. Number of these unstageable pressure ulcers/injuries that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry	Changed text to more accurately reflect what is occurring in the resident's skin integrity.

(continued)

Change Table: MDS 3.0 Data Set for Final Quality Measures

#	Item Set(s) Affected	Item / Text Affected	MDS 3.0 Data Set V 1.14.1	MDS 3.0 Data Set V (Note: Proposed modifications to existing items highlighted in yellow. Rows with blue text are placeholders for potential changes))	Rationale for Change
53.	All item sets with M0300G NC, NQ, NP, NSD, NOD, ND, NPE, SP, SSD, SOD, SD	M0300G	<p>G: Unstageable - Deep tissue injury: Suspected deep tissue injury in evolution</p> <p>1. Number of unstageable pressure ulcers with suspected deep tissue injury in evolution - If 0 → Skip to M0610, Dimension of Unhealed Stage 3 or 4 Pressure Ulcers or Eschar</p> <p>2. Number of these unstageable pressure ulcers that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry</p>	<p>G. Unstageable - Deep tissue injury:</p> <p>1. Number of unstageable pressure injuries presenting as deep tissue injury - If 0 → Skip to M1030, Number of Venous and Arterial Ulcers</p> <p>2. Number of these unstageable pressure injuries that were present upon admission/entry or reentry - enter how many were noted at the time of admission/entry or reentry</p>	<p>Changed text to more accurately reflect what is occurring in the resident's skin integrity.</p>